



TRUSS AND JOIST FABRICATOR TO SUPPLY ALL NECESSARY BLOCKING, BRIDGING, BRACING AND HANGERS BETWEEN TRUSS MEMBERS NECESSARY FOR THE COMPLETE INSTALLATION OF ROOF TRUSSES. TRUSS SHOP DRAWINGS TO SHOW LOCATION OF ALL BLOCKING, BRIDGING AND BRACING, INCLUDING NAILING PATTERN.

ROOF FRAMING PLAN
1/8" = 1'-0"

- NOTES:**
- REFER TO DRAWING S100 FOR GENERAL NOTES.
 - REFER TO ARCHITECTURAL DRAWINGS FOR ALL LOCATIONS & SIZES OF DOORS AND WINDOWS.
 - WOOD BEAM SCHEDULE:**
 - 2xD - 2 PLY 2x10 SFF, No. 2 DROP IN LINTEL
 - 3xD - 3 PLY 2x10 SFF, No. 2 DROP IN LINTEL
 - 3xME - 3 PLY 1 1/2" x 11 3/8" SCL DROP IN LINTEL
 - M3G - 3 PLY 1 1/2" x 16" SCL WOOD BEAM
 - WOOD COLUMN SCHEDULE:**

PROVIDE 4 PLY BUILT-UP WOOD COLUMNS AT EACH END OF ALL EXTERIOR AND INTERIOR BEAMS AND DROP IN LINTELS U.N.O. (COLUMNS TO CONSIST OF 2 FULL HEIGHT STUD AND 2 CRIPPLES)

 - W4C0 - 4 PLY 2x8 SFF, No. 2 (FULL HEIGHT TO BEAM OR GIRDER TRUSS)
 - W5C2 - 5 PLY 2x8 SFF, No. 2 (3 FULL HEIGHT STUDS WITH 2 CRIPPLES)
 - W6C2 - 6 PLY 2x8 SFF, No. 2 (4 FULL HEIGHT STUDS WITH 2 CRIPPLES)

EXTERIOR LOAD BEARING WALL SCHEDULE				
WALL TYPE	STUD SIZE AND SPACING	SHEATHING	PANEL EDGE NAILING	WALL NOTES
W1	2x8 AT 16" oc	3/8" OSB	2 1/2" NAILS AT 6" oc	2x8 HORIZONTAL BLOCKING AT 8'-0"
W2	2x8 AT 16" oc LOWER 4 UPPER LEVELS	3/8" OSB ALONG GRID LINE 2	2 1/2" NAILS AT 6" oc	2x8 HORIZONTAL BLOCKING AT 4'-0"

- NOTE:**
- ALL STUDS SPRUCE PINE FIR No. 2 OR BETTER.
 - PANEL NAILING TO INTERMEDIATE MEMBERS (FIELD NAILING) SHALL BE AT 1'-0" oc
 - PANEL EDGE NAILING TO ALL BUILT UP COLUMNS.
 - ALL BOTTOM WALL PLATES ON CONCRETE SHALL BE PRESSURE TREATED WOOD

DO NOT SCALE DRAWING. VERIFY ALL DIMENSIONS, DATA & ELEVATIONS PRIOR TO COMMENCEMENT OF WORK. COPYRIGHT OF RBM ARCHITECTURE INC.

ISSUED FOR TENDER 11/01/23
A - ISSUED FOR REVIEW 16/12/2026

SEAL:

ASSOCIATION OF PROFESSIONAL ENGINEERS AND GEOSCIENTISTS OF SASKATCHEWAN
CERTIFICATE OF AUTHORIZATION
ETS ENGINEERING CORPORATION
NUMBER 20638
PERMISSION TO CONSULT HELD BY:
DISCIPLINE: S401, RES. NO. STRUCTURAL 2975

CLIENT:
TOWN OF WYNYARD

CONSULTANTS: 4118

ETS ENGINEERING CORP.
129C Pinehouse Drive
Saskatoon, Saskatchewan
ph. (306) 978-0111

RBM
architecture
2205 Speers Avenue Saskatoon, SK S2N 3K6
2205 Speers Avenue North Battleford, SK S1N 2R6
tel: (306) 242-2336 fax: (306) 242-9130
ph: (306) 441-4338

PROJECT:
WYNYARD RECYCLING DEPOT

DRAWING:
ROOF FRAMING PLAN

PROJECT No: T51-16 SHEET No: PLOT No: 1
DATE: 10/26/2016
DRAWN BY: -
SCALE: 1/8" = 1'-0"

S203